

(12) PATENT APPLICATION PUBLICATION

(21) Application No.202211054045 A

(19) INDIA

(22) Date of filing of Application :21/09/2022

(43) Publication Date : 17/02/2023

(54) Title of the invention : A MULTIFUNCTIONAL WRENCH

(51) International classification :F03D0013200000, F16H0057040000, C07K0014540000, E04H0012080000, G09B0009000000

(86) International Application No :NA
Filing Date :NA

(87) International Publication No : NA

(61) Patent of Addition to Application Number :NA
Filing Date :NA

(62) Divisional to Application Number :NA
Filing Date :NA

(71)Name of Applicant :

1)Chitkara University

Address of Applicant :Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala -----

2)Chitkara Innovation Incubator Foundation

Name of Applicant : NA

Address of Applicant : NA

(72)Name of Inventor :

1)CHAUDHARY, Akshay

Address of Applicant :Civil Engineering, Chitkara University Institute of Engineering and Technology, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala -----

2)SACHDEVA, Payal

Address of Applicant :Civil Engineering, Chitkara University Institute of Engineering and Technology, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala -----

3)SACHDEVA, Pawan

Address of Applicant :Mechanical Engineering, Thapar Institute of Engineering and Technology (TIET), Patiala Punjab - 147004, India. Patiala -----

(57) Abstract :

A multifunctional wrench is provided. The multifunctional wrench includes a plurality of first set of bolts, wherein a first end of each of the plurality of first set of bolts are attached to a point to obtain a first pre-defined pattern. The multifunctional wrench also includes a plurality of nuts, which is operatively coupled to obtain a circular support unit. Each of the plurality of first set of nuts are inserted in a corresponding nut of the plurality of nuts within the circular support unit upon syncing the circular support unit with the first pre-defined pattern. The multifunctional wrench further includes a plurality of second set of bolts, wherein each of the plurality of second set of bolts is operatively coupled to one of the plurality of nuts placed between two of the plurality of first set of bolts to obtain a second pre-defined pattern.

No. of Pages : 15 No. of Claims : 6