(19) INDIA

(51) International

(86) International

(87) International

Publication No

Filing Date

Application Number

Filing Date

Application Number

Filing Date

(62) Divisional to

(61) Patent of Addition to

Application No

classification

(22) Date of filing of Application: 12/05/2023 (43) Publication Date: 23/06/2023

:A61L 090300, A61L 091200, B05B

012600, B05B 030000, B05B 030400

(54) Title of the invention: ELECTRIC AROMA DIFFUSER DEVICE

:NA

:NA

: NA

:NA

:NA

:NA

:NA

(71)Name of Applicant:

1)Chitkara University

Address of Applicant: Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

2) Chitkara Innovation Incubator Foundation

Name of Applicant : NA Address of Applicant : NA (72)Name of Inventor :

1)BALI, Nishu

Address of Applicant: Department of Computer Application, CUIET, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

2)CHAUDHARY, Deepika

Address of Applicant: Department of Computer Application, CUIET, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

3)SINGLA, Anshu

Address of Applicant: Department of Computer Science and Engineering, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

4)SINGH, Jaiteg

Address of Applicant: Department of Computer Application, CUIET, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

5)DAHIYA, Neelam

Address of Applicant :Department of Computer Application, CUIET, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

(57) Abstract:

An electric aroma diffuser device 100 includes a housing 102, an insulator layer 108, an electric plug unit 110, and an aroma diffuser unit 114. The housing 102 is adapted to receive a holding tray 104 attached to a top end of the housing 102. The holding tray 104 is configured to accommodate a set of incense. The heating element 106 disposed beneath the holding tray 104 to emit heat energy to heat the set of incense to generate fragrance and disperse in the surrounding area. The aroma diffuser unit 114 is configured to facilitate the user to adjust the direction of fragrance. The control unit 116 is configured to monitor one or more indicative parameters of the electric aroma diffuser device 100. The insulator layer 108 radially disposed on the housing 102 to retain the heat within to provide easy handling to a user.

No. of Pages: 16 No. of Claims: 8