(19) INDIA

(22) Date of filing of Application: 18/05/2023 (43) Publication Date: 30/06/2023

(54) Title of the invention: RETRACTABLE RAIN COVER FOR SHOES

(51) International classification (86) International Application No	:A43B 071200, A45F 030000, E04B 071600, F02M 351000, H02B 012800 :NA :NA
Filing Date (87) International Publication No	: NA
(61) Patent of Addition to Application Number Filing Date	:NA :NA
(62) Divisional to Application Number Filing Date	:NA :NA

(71)Name of Applicant:

1)Chitkara University

Address of Applicant: Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

2) Chitkara Innovation Incubator Foundation

Name of Applicant: NA Address of Applicant: NA (72)Name of Inventor: 1)MALHOTRA, Reetu

Address of Applicant : Applied Sciences, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

2)AMAN

Address of Applicant :Computer Science - Artificial Intelligence, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

3)KANDPAL, Chetan

Address of Applicant :Computer Science - Artificial Intelligence, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

4)AGRAWAL, Himanshu

Address of Applicant :Computer Science - Artificial Intelligence, Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ------

(57) Abstract:

The present disclosure relates to a retractable rain cover 100 for shoe designed to protect shoes from rain or other moisture. The shoe includes a cylindrical section clip 102 that is embedded in the shoe, in which the rain cover 100 can be stored when not in use. The rain cover 100 can be easily configured to deploy by pulling the edge out of the cylindrical section and attaching it to the shoe with hooks 106 and velcro 108. When the rain cover 100 is no longer needed, it can be easily retracted and stored back into the cylindrical section clip 102 using a twisted spring mechanism 112. The device provides added convenience and ease of use for the wearer, ensuring that their shoes remain dry and protected in wet or rainy conditions.

No. of Pages: 17 No. of Claims: 7