(12) PATENT APPLICATION PUBLICATION
(19) INDIA
(22) Date of filing of Application :26/09/2023

(21) Application No.202311064591 A
(43) Publication Date : 13/10/2023

(54) Title of the invention : A SYSTEM AND METHOD FOR VISUAL DOCUMENT COMPARISON USING LOCALIZED TWO-DIMENSIONAL VISUAL FINGERPRINTS

(51) International classification	:G06F0016930000, A61B0005055000, A61B0005000000, H04L0027260000, H04N0019610000
(86) International Application No Filing Date	:NA :NA
(87) International Publication No	: NA
(61) Patent of Addition to Application Number Filing Date	:NA :NA
(62) Divisional to Application Number Filing Date	:NA :NA

(71)**Name of Applicant :**
1)Chitkara University
Address of Applicant :Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ---------- ----------
2)Bluest Mettle Solutions Private Limited
Name of Applicant : NA
Address of Applicant : NA
(72)**Name of Inventor :**
1)MISHRA, Rahul
Address of Applicant :ODC-4, Panchshil Tech Park, inside Courtyard by Marriott premises, Hinjewadi Phase - 1, Pune - 411057, Maharashtra, India. Pune ---------- ----------
2)PANDEY, Sakshi
Address of Applicant :ODC-4, Panchshil Tech Park, inside Courtyard by Marriott premises, Hinjewadi Phase - 1, Pune - 411057, Maharashtra, India. Pune ---------- ----------
3)MANTRI, Archana
Address of Applicant :Chitkara University, Chandigarh-Patiala National Highway, Village Jhansla, Rajpura, Punjab - 140401, India. Patiala ---------- ----------

(57) Abstract :
Embodiments of the present disclosure relates to a system (100) and method (300) for visual document comparison by applying localized two-dimensional visual fingerprints. In an aspect, the system comprises a processor (202) coupled to a memory (204). The memory (204) stores processor-executable instructions. The processor (202) is configured to preprocess the plurality of visual documents into localized regions. Further, the processor (202) is configured to extract one or more visual features from the localized regions of the plurality of visual documents. Next, the processor (202) is configured to generate the localized two-dimensional visual fingerprints for each of the plurality of visual documents based on the extracted one or more visual features. In the end, the processor (202) is configured to compare the localized two-dimensional visual fingerprints for each of the plurality of visual documents.

No. of Pages : 25 No. of Claims : 10